

ECO Open Displays



ECO LED OPEN DISPLAY
VISION1200 shown



Vertical LED Technology



Energy conserving
Night Blind



Illuminated top Lightbox

Our open displays provide the ideal refrigerated impulse display solution. Pictured is the 'Vision' Eco Open Display with large light box, internal LED lighting and plenty of shelves; putting your merchandise on centre stage to boost impulse purchases.

VISION ON DISPLAY





ECO Open Display LED
VISION1200



ECO Open Display LED
VISION1800



ECO Open Display LED
VISION2400

VISION1200

VISION1800



VISION2400

Bromic Part Number	3335275	3335276	3335277
Capacity - Gross (litres)	1330L	1913L	2555L
Dimensions with castors (mm)	1322w x 873d x 2130h	1902w x 873d x 2130h	2490w x 873d x 2130h
<small>Height includes castors</small>			
Temperature range (°C)	+2° to +4°C	+2° to +4°C	+2° to +4°C
Max. ambient temp(°C/RH%)	+25°C/60%	+25°C/60%	+25°C/60%
Temperature display	Digital	Digital	Digital
Number of Glass sides	2	2	2
Number of doors/lids	Fitted night blind	Fitted night blind	Fitted night blind
Door Material	Open (night blind)	Open (night blind)	Open (night blind)
Product and interior lighting	Vertical LED	Vertical LED	Vertical LED
Number of shelves included	4 + base	4 + base	3 + base
Refrigeration Power (watts)	1210W	1950W	2420W
Current (Amps)	11.3A	12.8A	16.5A
Gross weight (kg)	266kg	310kg	370kg
Refrigerant	R404a	R404a	R404a
Colour	White	White	White
Power Usage (at 25°C/60%RH)	13.3Kw/24hr	26.1Kw/24hr	29.5Kw/24hr
Plug supplied	Yes 15A	Yes 15A	Yes 20A

W

D

H



LED lighting



Night blind



WARRANTY 1 yr PARTS
1 yr LABOUR

MODEL	Height (H)mm	Width (W)mm	Depth (D)mm
VISION 1200	2130	1322	873
VISION 1800	2130	1902	873
VISION 2400	2130	2490	873

BROMIC[®] Impulse Open Displays

REFRIGERATION GEMMA



Impulse Open Display
GEMMA30



Impulse Open Display
GEMMA45

GEMMA30

GEMMA45


Bromic Part Number
Capacity - Gross (litres)
Dimensions with castors (mm)
Height includes castors
Temperature range (°C)
Max. ambient temp (°C/RH%)
Temperature display
Number of Glass sides
Product and interior lighting
Number of shelves included
Refrigeration Power (watts)
Current (Amps)
Gross weight (kg)
Refrigerant
Colour
Power Usage (at 25°C/60%RH)
Plug supplied

3335290
330L
626w x738d x 1590h

0° to +10 °C
+25°C/60%
Digital
2
LED
2 + base
950W
5.8A
131kg
R404a
Grey/White
14.3Kw/24hr
Yes 10A

3335295
485L
906w x738d x1590h

0° to +10 °C
+25°C/60%
Digital
2
LED
2 + base
1100W
5.5A
141kg
R404a
Grey/White
15.22Kw/24hr
Yes 10A



WARRANTY 1 yr PARTS
1 yr LABOUR

MODEL	Height (H)mm	Ext. Width (W)mm	Int. Width mm	Depth (D)mm
GEMMA30	1590	626	508	738
GEMMA45	1590	906	788	738