# at www.kerryequipment.com.au visit our website

# **LAUNDRY & CLEANING TROLLEY RANGE**

www.TotalCommercialEquipment.com.au 08 8363 5282





Photographs on location at St John of God Health Care - Subiaco

Kerry Equipment
a Quality Endorsed Company



### KH540 - SOILED LINEN TROLLEY - SINGLE

DIMENSIONS (mm) • 425L x 460w x 895H

CASTORS

• Diameter 75mm. Twin wheel swivel.

**FINISH** 

· Epoxy coated.

**FEATURES** 

- Robust light weight construction.
- · Suits standard linen bag.
- · Perforated sheet metal bag support.
- · Uprights taper at base & are fixed towards the rear for easy bag removal.
- **2** KH541 SOILED LINEN TROLLEY DOUBLE

DIMENSIONS (mm) • 870L x 460w x 895H

**3** KH542 - SOILED LINEN TROLLEY - TRIPLE

DIMENSIONS (mm) • 1265L x 460w x 895H

4 KH543 - SOILED LINEN TROLLEY - QUAD

DIMENSIONS (mm) • 870L x 940w x 895H



- 2 Shown with optional CA10030, 100mm Grey Rubber Swivel castors.
- 3 Shown with optional KH54BB, KH54BW, KH54BG linen bags.

### 6 KH540S - STAINLESS STEEL SOILED LINEN **TROLLEY - SINGLE**

DIMENSIONS (mm) • 425L x 460w x 895H

**CASTORS** 

• Diameter 75mm. Twin wheel swivel.

**FINISH** 

· Stainless Steel.

**FEATURES** 

- Robust light weight construction.
- · Suits standard linen bag.
- Perforated stainless steel bag support.
- Uprights taper at base & are fixed towards the rear for easy bag removal.
- 6 KH541S STAINLESS STEEL SOILED LINEN **TROLLEY - DOUBLE**

DIMENSIONS (mm) • 870L x 460w x 895H

**KH542S** - STAINLESS STEEL SOILED LINEN **TROLLEY - TRIPLE** 

DIMENSIONS (mm) • 1265L x 460w x 895H

**8 KH543S - STAINLESS STEEL SOILED LINEN TROLLEY - QUAD** 

DIMENSIONS (mm) • 870L x 940w x 895H



- 5 Shown with optional CA10030, 100mm Grey Rubber Swivel castors.
- 6 Shown with optional KH54BG, KH54BW linen bags.


### 9 KH540LM - SOILED LINEN TROLLEY - SINGLE With manually operated plastic lid

DIMENSIONS (mm) • 425L x 460w x 920H

- CASTORS
- Diameter 75mm, Twin wheel

FINISH

- · Epoxy coated.
- **FEATURES**
- · Light weight polypropylene white plastic lid.
- Robust light weight construction.
- · Suits standard linen bag.
- · Perforated sheet metal bag support.
- · Uprights taper at base & are fixed towards the rear for easy bag removal.
- **W KH541LM** SOILED LINEN TROLLEY DOUBLE With manually operated plastic lids DIMENSIONS (mm) • 870L x 460w x 920H
- **WENT OF THE PROPERTY OF THE P** With manually operated plastic lids DIMENSIONS (mm) • 1265L x 460w x 920H
- P KH543LM SOILED LINEN TROLLEY QUAD With manually operated plastic lids DIMENSIONS (mm) • 870L x 940w x 920H



Shown with optional CA10030 100mm grey rubber swivel castors.

### **® KH540SLM** - STAINLESS STEEL SOILED LINEN **TROLLEY - SINGLE**

### With manually operated plastic lid

- DIMENSIONS (mm) 425L x 460w x 920H
- CASTORS
- Diameter 75mm. Twin wheel swivel.
- FINISH
- · Stainless Steel.
- **FEATURES**
- Light weight polypropylene white plastic lid.
- · Robust light weight construction.
- · Suits standard linen bag.
- · Perforated stainless steel bag support.
- Uprights taper at base & are fixed towards the rear for easy bag removal.
- M KH541SLM STAINLESS STEEL SOILED LINEN TROLLEY - DOUBLE

### With manually operated plastic lids

DIMENSIONS (mm) • 870L x 460w x 920H

(B) KH542SLM - STAINLESS STEEL SOILED LINEN **TROLLEY - TRIPLE** 

With manually operated plastic lids

DIMENSIONS (mm) • 1265L x 460w x 920H

1 KH543SLM - STAINLESS STEEL SOILED LINEN **TROLLEY - QUAD** 

With manually operated plastic lids

DIMENSIONS (mm) • 870L x 940w x 920H



Shown with optional KH54BY, KH54BR linen bags.

### **WENT OF THE PROPERTY OF THE P** With foot operated plastic lid

DIMENSIONS (mm) • 425L x 460w x 900H

CASTORS

• Diameter 75mm. Twin wheel

swivel.

**FINISH** 

· Epoxy coated.

**FEATURES** 

- Light weight polypropylene white plastic lid.
- Robust light weight construction.
- Foot operated lid.
- · Suits standard linen bag.
- Perforated sheet metal bag support.
- · Uprights taper at base & are fixed towards the rear for easy bag removal.
- **® KH541L** SOILED LINEN TROLLEY DOUBLE With foot operated plastic lids

DIMENSIONS (mm) • 870L x 460w x 900H

1 KH542L - SOILED LINEN TROLLEY - TRIPLE With foot operated plastic lids

DIMENSIONS (mm) • 1265L x 460w x 900H

WH543L - SOILED LINEN TROLLEY - QUAD With foot operated plastic lids

DIMENSIONS (mm) • 870L x 940w x 900H

### **WH540SL - STAINLESS STEEL SOILED LINEN TROLLEY - SINGLE**

### With foot operated plastic lid

DIMENSIONS (mm) • 425L x 460w x 900H

**CASTORS** 

- Diameter 75mm, Twin wheel swivel.
- **FINISH**
- · Stainless Steel.

**FEATURES** 

- Light weight polypropylene white plastic lid.
- · Robust light weight construction.
- · Foot operated lid.
- · Suits standard linen bag.
- · Perforated stainless steel bag support.
- · Uprights taper at base & are fixed towards the rear for easy bag removal.
- KH541SL STAINLESS STEEL SOILED LINEN **TROLLEY - DOUBLE**

With foot operated plastic lid

DIMENSIONS (mm) • 870 L x 460 w x 900 H

KH542SL - STAINLESS STEEL SOILED LINEN **TROLLEY - TRIPLE** 

With foot operated plastic lid

DIMENSIONS (mm) • 1265L x 460w x 900H

**WINDERSON OF THE PROPERTY OF TROLLEY - QUAD** 

With foot operated plastic lid

DIMENSIONS (mm) • 870L x 940w x 900H



- 1 Shown with optional KH54LB plastic lid.
- 1 Shown with optional KH54LY plastic lids.
- Shown with optional KH54LB and KH54LG plastic lid.



- Shown with optional KH54LB plastic lids.
- Shown with optional KH54LY plastic lids.

### OPTIONS

- 49 KH54LR Plastic Lid Red
- 6 KH54LY Plastic Lid Yellow
- **Ø KH54LB** Plastic Lid Blue
- 8 KH54LG Plastic Lid Green
- **© CA10030** Dia 100mm Grey rubber castors - swivel
- SP10089 Dia 100mm Grev rubber swivel buffer discs
- W KH54PH Push handle
- **® KH54BS** Bag support

















# LINEN BAGS

- **® KH54BW** LINEN BAG -WHITE (General linen)
- W KH54BB LINEN BAG -**BLUE** (Maternity)
- 69 KH54BG LINEN BAG -**GREEN** (Theatre)
- 6 KH54BR LINEN BAG -**RED** (Hazardous)
- W KH54BY LINEN BAG -YELLOW (Infectious)











# **MOBILE LINEN & GARBAGE TROLLEY**

### **® KH540LG - MOBILE GARBAGE TROLLEY** With foot operated lid

DIMENSIONS (mm)

**CASTORS FINISH FEATURES** 

- 425L x 460w x 900H
- Diameter 75mm. Twin wheel swivel.
- Epoxy coated.
- Robust light weight construction.
- · Suits standard plastic bags.
- · Perforated sheet metal bag support.
- · Foot operated lid.
- · Elastic strap to hold plastic bag.
- · Stainless steel lid powder coated.

### **9 KH541LG - SOILED LINEN & GARBAGE TROLLEY** With foot operated lids

**CASTORS FINISH** 

**FEATURES** 

- DIMENSIONS (mm) 870L x 460w x 900H
  - Diameter 75mm. Twin wheel swivel.
  - · Epoxy coated.
  - · Soiled linen & garbage can be collected at the same time.
  - · Robust light weight construction.
  - · Perforated sheet metal bag support.
  - Suits standard linen & plastic garbage bags.
  - · Elastic strap to hold plastic bag.

### **W KH542LG - SOILED LINEN TROLLEY -DOUBLE & GARBAGE TROLLEY** With foot operated lids

DIMENSIONS (mm)

**CASTORS FINISH** 

**FEATURES** 

- 1265L x 460w x 900H
- Diameter 75mm. Twin wheel swivel.
- · Epoxy coated.
- Soiled linen & garbage can be collected at the same time.
- · Robust light weight construction.
- Perforated sheet metal bag support.
- Suits standard linen & plastic garbage bags.
- · Elastic strap to hold plastic bag.



Shown with optional KH54B White linen bag and blue rubbish bag.

### KH545S - BULK SOILED LINEN TROLLEY OR **GARBAGE TROLLEY**

DIMENSIONS (mm) • 1650L x 800w x 1200H

Dimensions can be made to order.

**CASTORS** 

• Diameter 150mm. Heavy Duty

Grey Rubber.

FINISH

· Jockey wheel arrangement. · Galvanized body, Epoxy coated.

**BUMPER** 

Full wrap P.V.C.

**FEATURES** 

· Hinging side lockable door.

· Fully sealed base.

Drain plug.

### **OPTIONS**

- KH545SSB Spring-Loaded base.
- KH545STH Tow hitch.
- KH545SL Gas-assisted hinging lid.
- Diameter 200mm. Polyurethane castors fitted with ball bearings.

Recommended when heavy loads are to be transported.

- · Standard castor configuration available on request. Two fixed, Two swivel.
- · Light weight aluminium construction available on request.



DIMENSIONS (mm) • 1200L x 625w x 1240H

CASTORS

 Diameter 200mm. Heavy Duty Grev Rubber.

FINISH

 Galvanized body, Epoxy coated. • Full wrap P.V.C.

**BUMPER FEATURES** 

· Hinging lockable door.

• As above KH545S.

### **OPTIONS**

- KH545TH Tow hitch.
- KH545L Gas assisted lid.
- KH545SB Spring loaded base.
- As above KH545S.

### KH547 - MOIST LINEN TROLLEY - SMALL

DIMENSIONS (mm) • 1000L x 700w x 800H

**CASTORS FINISH** 

• Diameter 125mm. Heavy Duty Nylon - Swivel.

• Galvanized base.

**FEATURES** 

- 320L capacity polyethylene bin.
- Suits nursing home or smaller institutions.
- · Light weight.

### **OPTIONS**

- KH547SB Galvanized spring-loaded base. (Base design as per 47).
- KH547SBC Galvanized coil springbase. Minimises bending, reduces back strain. Can easily be removed for cleaning.
- KH548W Diameter 50mm. Drain plug.
- KH547L Removable lid fitted with handles.
- KH547PH Push handle.
- KH55SC Vinyl spring cover.

### KH548 - MOIST LINEN TROLLEY - LARGE

CASTORS FINISH

- DIMENSIONS (mm) 1380L x 750w x 800H
  - Diameter 125mm. Heavy Duty Nylon Swivel.
  - · Galvanized base.
- **FEATURES**
- 450L capacity polyethylene bin.
  - · Suits Hospital or large institutions.

### **OPTIONS**

- KH548SB Galvanized spring-loaded base. (Base design as per 49).
- KH548SBC Galvanized coil springbase. Minimises bending, reduces back strain. Can easily be removed for cleaning.
- KH548W Diameter 50mm. Drain plug.
- KH548L Removable lid fitted with handles.
- KH547PH Push handle.
- KH55SC Vinyl spring cover.



Shown with optional - KH545SL - gas assisted lid



Shown with optional - KH545L - gas assisted lid





- KH550B WET & DRY LAUNDRY TROLLEY -**SMALL - SPRING BASE**
- KH550C WET & DRY LAUNDRY TROLLEY -SMALL - COIL SPRING BASE

DIMENSIONS (mm) • 800L x 600w x 800H

CASTORS FINISH

**FEATURES** 

- Diameter 125mm. Grey Rubber Swivel.
- · Galvanized plus zinc rich epoxy powder coated.
- · Suit nursing home or smaller facility.
- Spring-loaded base minimises bending, reduces back strain, meets Occupational Health & Safety standards.
- · Static resistant grey rubber castors.
- · Light weight.
- Moist linen is able to breathe.
- Full wrap P.V.C bumper.

### **OPTIONS**

- KH55PH Push handle.
- KH55SC Vinyl spring cover.
- KH551B WET & DRY LAUNDRY TROLLEY -**MEDIUM - SPRING BASE**
- KH551C WET & DRY LAUNDRY TROLLEY -**MEDIUM - COIL SPRING BASE**

DIMENSIONS (mm) • 1050L x 700w x 850H

**CASTORS** 

· Diameter 150mm. Heavy Duty Grey Rubber with roller bearings, mounted in jockey arrangement.

**FINISH** 

· Galvanized plus zinc rich epoxy powder coated.

**FEATURES** 

- · Spring-loaded base minimises bending, reduces back strain, meets Occupational Health & Safety standards.
- Static resistant grey rubber castors.
- · Light weight.
- Moist linen is able to breathe.
- Full wrap P.V.C bumper.

### **OPTIONS**

- KH55PH Push Handle.
- KH55SC Vinyl spring covers.
- KH552B WET & DRY LAUNDRY TROLLEY - LARGE -**SPRINGBASE**
- KH552C WET & DRY LAUNDRY TROLLEY -**LARGE - COIL SPRING BASE**

DIMENSIONS (mm)

**CASTORS** 

- 1250L x 700w x 850H
- Diameter 150mm. Heavy Duty Grey Rubber. Two Fixed, Two Swivel, with roller bearings, mounted in jockey arrangement.

**FINISH** 

· Galvanized plus zinc rich epoxy powder coated.

**FEATURES** 

- Spring-loaded base minimises bending, reduces back strain. meets Occupational Health & Safety standards.
- · Static resistant grey rubber castors.
- · Light weight.
- Moist linen is able to breathe.
- Full wrap P.V.C bumper.

### **OPTIONS**

- KH55PH Push Handle.
- KH55SC Vinyl spring covers.





# **CLEAN LINEN TROLLEYS**

### **60 KH522 - CLEAN LINEN TROLLEY**

- DIMENSIONS (mm) Overall -1290L x 640w x 1440H
  - Cabinet 1140L x 545w x 1200н
  - Shelf Size -1090L x 540w

CASTORS

• Diameter 200mm. Heavy Duty Grey Rubber. Two fixed, Two swivel.

**BUMPER** 

- 75mm Full wrap P.V.C.
- **FINISH**
- Epoxy coated.
- **FEATURES**
- · Light weight aluminium body & shelves.
- Robust steel frame.
- Multi-height push handle.

### **KH522FC** - FRONT COVER

**FEATURES** 

- Six heavy duty straps.
- Heavy duty "Tarpol" material.
- Can not be removed from trolley.
- KH522FCP FRONT COVER "Pocket type"

**FEATURES** 

- Six heavy duty straps.
- Heavy duty "Tarpol" material.
- Can be removed from trolley.
- KH522FCZ FRONT COVER "Zip type"

**FEATURES** 

- Heavy duty zip on both sides.
- Heavy duty "Tarpol" material.
- Can not be removed from trolley.
- KH522TH TOW HITCH
- KH522DL DIRECTIONAL LOCK CASTOR
- KH522DU DRIVE UNIT











Shown with KH552DU **Drive Unit** 





# **CLEAN LINEN TROLLEYS**

### **59 KH525 - ECONOMY LINEN TROLLEY - LARGE**

DIMENSIONS (mm)

Overall • 1190L x 550w x 1430H
Cabinet • 1000L x 500w x 1210H
Shelf size • 1000L x 500w

CASTORS • Diameter 150mm. Heavy Duty Grey

Rubber. Two fixed, Two swivel.

FINISH • Epoxy coated.

BUMPER • Full wrap P.V.C.

FEATURES

• Light weight construction.

• Three shelves and top tray.

Multi-height push handle.

OPTION • KH525DU - Drive unit.

### **9 KH526 - ECONOMY LINEN TROLLEY - LARGE**

DIMENSIONS (mm)

Overall • 1190L x 550w x 1430H
Cabinet • 1000L x 500w x 1210H

Shelf size • 1000L x 500w

CASTORS • Diameter 150mm. Heavy Duty Grey

Rubber. Two fixed, Two swivel.

FINISH • Epoxy coated.

BUMPER • Full wrap P.V.C.

FEATURES • Light weight construction.

Three shelves and top tray.Multi-height push handle.

• Open on both sides for easy access.

### **® KH527 - ECONOMY LINEN TROLLEY - SMALL**

DIMENSIONS (mm)

Overall • 900L x 570w x 1060H
Cabinet • 800L x 485w x 800H

Shelf size • 800L x 485w

CASTORS • Diameter 125mm. Heavy Duty Grey.

Rubber Swivel.

FINISH • Epoxy coated.

BUMPER • Buffer disc.

FEATURES • Light weight construction.

Two shelves and top tray.Swivel castors for easy manoeuvrability.

Push Handle.

### 60 KH528 - ECONOMY LINEN TROLLEY - SMALL

DIMENSIONS (mm)

Overall • 900L x 570w x 1060H
Cabinet • 800L x 485w x 800H
Shelf size • 800L x 485w

CASTORS • Diameter 125mm. Heavy Duty Grey.

Rubber Swivel.

FINISH • Epoxy coated.

BUMPER • Buffer disc.

FEATURES • Light weight construction.

• Two shelves and top tray.

• Open on both sides for easy access.

 Swivel castors for easy manoeuvrability.

Push Handle.

### **62 KH525FC** - FRONT COVER

FEATURES

• Heavy duty "Tarpol" material with zips fitted to both sides.

• Can not be removed from trolley.

### **8 KH527FC - FRONT COVER**


FEATURES • Heavy duty


 Heavy duty "Tarpol" material with zips fitted to both sides.

• Can not be removed from trolley.









# **CLEAN LINEN TROLLEYS**

### **KH512 - GARMENT RACK**

DIMENSIONS (mm) • 1420L x 680w x 1730H

**CASTORS** 

• Diameter 125mm Grey Rubber - Swivel.

**BUMPERS** 

 Diameter 100mm Buffer disc.

**FINISH FEATURES**  · Epoxy coated.

· Nestable.

· Lightweight durable construction.

**OPTIONS** 

• KH512S - Stainless Steel.

### **KH529 - STORAGE BASKET TROLLEY-15 BASKET**

**DIMENSIONS (mm)** 

Overall Basket Size **CASTORS** 

• 1105L x 450w x 1305H

• 430L x 323w x 127H

• Diameter 125mm. Grey Rubber - Swivel.

**FINISH** 

• Frame - Epoxy coated.

· Basket - Plastic.

**BUMPER** 

· Buffer discs.

**FEATURES** 

· Individual name tagged plastic baskets.

### KH529-18 - 18 BASKET STORAGE BASKET TROLLEY

DIMENSIONS (mm)

**OVERALL BASKET SIZE CASTORS** 

• 1104L x 465w x 1530H

• 430∟ x 323w x 127H • Diameter 125mm.

Grey Rubber - Swivel. **FINISH** • Frame - Epoxy coated.

· Basket - Plastic.

**BUMPER** • Buffer discs.

**FEATURES** · Individual name tagged

## KH529-30 - 30 BASKET STORAGE BASKET TROLLEY

DIMENSIONS (mm)

**OVERALL BASKET SIZE** CASTORS

**FINISH** 

• 1470L x 685w x 1330H

• 430L x 323w x 127H

• Diameter 125mm. Grey Rubber - Swivel.

• Frame - Epoxy coated.

· Basket - Plastic.

**BUMPER** · Buffer discs.

 Individual name **FEATURES** 

### **® KH51C - STORAGE BASKET CRATE**

DIMENSIONS (mm) • 430L x 323w x 127H

· Plastic.

### KH530 - LINEN FOLDING TABLE -**MOBILE**

DIMENSIONS (mm) CASTORS

**FINISH** 

**FINISH** 

• 1170L x 640w x 900H

 Diameter 125mm, Grev Rubber - Swivel.

> • Frame - Epoxy coated. • Top - P.V.C. plastic.

**FEATURES** Stable robust construction.

• Light weight.

• P.V.C. folding surface.

**OPTIONS**  Total lock castors. · Lip on one side only.

### **KH531** - LINEN FOLDING TABLE

DIMENSIONS (mm) ◆ 2400L x 800w x 900H

• Frame - Epoxy Coated. Top - P.V.C. plastic.

**FEATURES** · Stable robust construction.

· P.V.C. plastic folding

surface. **OPTIONS** 

· Lip on both sides.















# **CLEANING TROLLEYS**

### **KH509 - CLEANERS TROLLEY**

DIMENSIONS (mm) • 1120L x 490w x 975H

**CASTORS** 

 Diameter 100mm, Heavy Duty Grey Rubber Two fixed, Two swivel.

**FINISH** 

- Pre Zinc Epoxy coated.
- **BUMPER**
- Full wrap P.V.C.
- **FEATURES** • 2 shelves & top tray.
  - Rubbish collection bag with velcro back for easy liner bag removal.
  - Splash guard.
  - · Recessed mop bucket tray.
  - Mop handle hook.

### KH509F - CLEANERS TROLLEY-**FOLDING FRONT**

- DIMENSIONS (mm) 1120L x 490w x 975H
- **CASTORS**
- Diameter 100mm. Heavy Duty Grey Rubber Two fixed, Two swivel.

**FINISH BUMPER FEATURES** 

- Pre Zinc Epoxy coated.
- Full wrap P.V.C.
- · Folding front for storage

### KH510 - CLEANERS TROLLEY

- DIMENSIONS (mm) 1120L x 490w x 975H
- **CASTORS**
- Diameter 100mm. Heavy Duty Grey Rubber Two fixed, Two swivel.

**FINISH** 

- Pre Zinc Epoxy coated.
- **BUMPER**
- Full wrap P.V.C.
- **FEATURES**
- · 3 removable plastic utility trays.
- · Rubbish collection bag with velcro back for easy bag removal.
- · Splash guard.
- · Recessed mop bucket tray.
- Mop handle hook.

### KH511 - MOP BUCKET TROLLEY

DIMENSIONS (mm) • 1020L x 250w

- **CASTORS** • Diameter 125mm. Durable Plastic.
- **FINISH**

- · Zinc plated.
- **FEATURES**
- · Suitable for most makes & sizes
- of buckets.
- · Moulded P.V.C. handle.
- Ø KH51L - LID FOR GARBAGE BAG
- KH51GR GUARD RAIL
- KH51GL GARBAGE BAG 800mm Deep

**FEATURES** 

- · Large rubbish collection bag with velcro back for easy liner bag removal.
- **KH51E** WIRE ENCLOSURE

**FEATURES** 

- · Safe storage of chemicals.
- · Lockable.
- Plastic coated.
- Wire construction.

### KH51D - LOCKABLE DOOR

**FEATURES** 

- Suits KH509 only.
- Safe storage of chemicals.
- KH51M MOP SQUEEZE SUPPORT SIDE

**FEATURES** 

- Accepts mop squeeze side
- operation.
- KH51MF MOP SQUEEZE SUPPORT -**FRONT**

**FEATURES** 

- · Accepts mop squeeze front operation.
- **KH51MS** MOP SQUEEZE
- KH51MB MOP BUCKET



KH509 - Shown with optional KH51GL





### **OPTIONS**



















# **CLEANING TROLLEYS**

### **5 KH534** - HOUSEMAID TROLLEY - SMALL

DIMENSIONS (mm) • 1000L x 500w x 1300H

SHELF SIZE (mm)

• 600L x 425W

CASTORS

• Diameter 125mm, Heavy Duty Grev Rubber Two fixed. Two swivel.

**FINISH** 

· Epoxy coated.

**BUMPER** 

• Full wrap P.V.C.

**FEATURES** 

· Light weight construction.

· Narrow wheel base very manoeuvrable.

- · Soiled linen bag.
- Push handle both ends.
- Three shelves & top tray.

### **86 KH535 - HOUSEMAID TROLLEY**

DIMENSIONS (mm) • 1390L x 520w x 1165H

SHELF SIZE (mm)

• 755L x 455W

CASTORS (mm)

• Diameter 200mm. Heavy Duty Grey Rubber fitted with roller bearings. Two fixed, Two swivel.

FINISH

Epoxy coated.

**BUMPER** 

• Full wrap P.V.C. with swivel corner buffer discs.

**FEATURES** 

· Garbage bag.

· Soiled linen bag.

• Push handle both ends.

• Three shelves & top tray.

### **WALL MOUNTED GARBAG** HOLDER

DIMENSIONS (mm) • 370L x 400w x 875H

**FINISH** 

• Frame - Epoxy coated.

• Lid - Stainless steel - Epoxy

**FEATURES** 

· Suits plastic or paper bags.

· Easy to apply elastic strap.

· Low foot pedal ground clearance for easy operation.

· Light weight construction.

### **89 KH587 - MOBILE GARBAG TROLLEY**

DIMENSIONS (mm) • 420L x 420w x 920H

**CASTORS** 

• Diameter 75mm. Plastic - Simply tilt backwards to mobilise unit.

**FINISH** 

• Frame - Epoxy coated.

· Lid - Stainless steel -Epoxy coated.

**FEATURES** 

· Suits plastic or paper bags.


· Easy to apply elastic strap.

· Low foot pedal ground clearance for easy operation.

• Light weight construction.

· Perforated sheet metal bag support.

• Rubber tipped front feet.











4 Halley Road, Balcatta, Perth Australia 6021

Telephone: 61.8.9240 2944 Facsimile: 61.8.9240 1469

www.TotalCommercialEquipment.com.au 08 8363 5282

Distributed by:

Website: www.kerryequipment.com.au Email: info@kerryequipment.com.au

KERRY EQUIPMENT (AUST) PTY LTD A.B.N 71 082 784 147 Kerry Equipment reserve the right to make modifications/improvements to the products depicted.