UBC0140SD-NR

BROMIC REFRIGERATION

Under Bench Fridge
138L - 1 Door - Stainless Steel

Bar Fridges & Freezers

UBC0140SD-NR

BROMIC REFRIGERATION

Under Bench Fridge
138L - 1 Door - Stainless Steel

Bar Fridges & Freezers



SPECIFICATIONS

Model Number	UBC0140SD-NR
Part Number	3736254
Volume	138L
Unit Weight	36kg
Packaged Weight	43kg
Adjustable Temp. Range	+1 to +10°C
Max. Ambient Temp.	32°C
Climate Class	3M1
Energy Consumption	0.98kWh/24h
GEMS Star Rating	8 stars
Refrigeration Capacity	100W
Refrigerant	R600a
Rated Current	1.2A
Electrical Voltage	220-240V
Frequency	50Hz
Power Supply	Single Phase
Power Plug	1 x 10A
Plug Location	Rear, bottom
Colour	Stainless Steel
Internal Light	No
No. of Doors	1
Door Type	Solid
Door Glass Type	Double glazed
Door Style	Hinged
Door Lock	Yes
Self-Closing Door	Yes
Door Swing Dimension	594mm
Total Depth of Door Open	1156mm
No. of Shelf Tiers inc base	4
Shelf Type	Adjustable
Shelves Dimensions	510(w) x 360(d) mm
Temp. Controller	Digital
Castors	No, Feet + Rollers
Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts

DIMENSIONS

External (mm)

Width	598
Depth	643
Height	824

Internal (mm)

Width	490
Depth	400
Height	680

Packaged (mm)

Width	650
Depth	650
Height	885

UBC0140GD-NR

BROMIC REFRIGERATION

Underbench Display Fridge 138L - 1 Door - Glass

Bar Fridge & Freezers

Suitable for storage of perishable drinks with 3M1 climate class

Digital controller for easy temperature control

Save floor space with seamless under bench installation

Integrated door lock to keep stock safe and secure

Natural refrigerant for improved energy efficiency

Narrow wired shelf design to keep items securely in place

3 adjustable shelves plus base for maximum storage

Durable stainless steel construction for commercial use

Double-glazed safety glass door prevents condensation

Bright LED lighting makes it easy to locate items inside

5 Years Bromic Extra Care Warranty - Labour and Parts

Fully compliant with Australian safety standards and regulations

Adjustable 30mm feet for installation on unlevel surfaces

UBC0140GD-NR

BROMIC REFRIGERATION

Underbench Display Fridge
138L - 1 Door - Glass

Bar Fridge & Freezers



SPECIFICATIONS

Model Number	UBC0140GD-NR
Part Number	3736255
Volume	138L
Unit Weight	45kg
Packaged Weight	46kg
Adjustable Temp. Range	+1 to +10°C
Max. Ambient Temp.	32°C
Climate Class	3M1
Energy Consumption	1.396kWh/24h
GEMS Star Rating	6 stars
Refrigeration Capacity	100W
Refrigerant	R600a
Rated Current	1.2A
Electrical Voltage	220-240V
Frequency	50Hz
Power Supply	Single Phase
Power Plug	1 x 10A
Plug Location	Rear, bottom
Colour	Stainless Steel
Internal Light	LED
No. of Doors	1
Door Type	Glass
Door Glass Type	Double glazed
Door Style	Hinged
Door Lock	Yes
Self-Closing Door	Yes
Door Swing Dimension	594mm
Total Depth of Door Open	1153mm
No. of Shelf Tiers inc base	4
Shelf Type	Adjustable
Shelves Dimensions	510(w) x 360(d) mm
Temp. Controller	Digital
Castors	No, Feet + Rollers
Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts

DIMENSIONS

External (mm)

Width	598
Depth	643
Height	824

Internal (mm)

Width	490
Depth	400
Height	680

Packaged (mm)

Width	650
Depth	650
Height	885

UBC1360SD-NR

BROMIC REFRIGERATION

Under Bench Fridge
282L - 2 Doors - Stainless Steel

Bar Fridges & Freezers

Save floor space with seamless under bench installation

Food grade stainless steel bench top may serve as additional workspace

Solid stainless steel exterior and 2 self-closing doors to minimise heat transfer and energy consumption

Natural refrigerant for improved energy efficiency

Digital controller and display for precise temperature control

Narrow wired shelf design and shelf extenders to keep items securely in place

Powerful fan-forced refrigeration cools cabinet evenly and quickly

5 Years Bromic Extra Care Warranty - Labour and Parts

Fully compliant with Australian safety standards and regulations

Castors to move and position the unit with ease

UBC1360SD-NR

BROMIC REFRIGERATION

Under Bench Fridge
282L - 2 Doors - Stainless Steel

Bar Fridges & Freezers



SPECIFICATIONS

Model Number	UBC1360SD-NR
Part Number	3735204-NR
Volume	282L
Unit Weight	110kg
Packaged Weight	115kg
Adjustable Temp. Range	+1°C to +5°C
Max. Ambient Temp.	38°C
Climate Class	4M1
Energy Consumption	3.024kWh/24h
GEMS Star Rating	4 stars
Refrigeration Capacity	245W
Refrigerant	R600a
Rated Current	2A
Electrical Voltage	220-240V
Frequency	50Hz
Power Supply	Single Phase
Power Plug	1 x 10A
Plug Location	Bottom Right
Cord Length	2.5m
Colour	Stainless Steel
Internal Light	No
No. of Doors	2
Door Type	Solid
Door Style	Hinged
Door Lock	No
Self-Closing Door	Yes
Door Swing Dimension	371mm
Total Depth of Door Open	1071mm
No. of Shelf Tiers inc base	3
Shelf Type	Adjustable
Shelves Dimensions	333(w) x 530(d) mm
Temp. Controller	Digital
Castors	Yes
Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts

DIMENSIONS

External (mm)

Width	1360
Depth	700
Height	850

Internal (mm)

Width	902
Depth	530
Height	589

Packaged (mm)

Width	1390
Depth	730
Height	910

UBC1360GD-NR

BROMIC REFRIGERATION

Underbench Display Fridge 282L - 2 Door - Glass

Bar Fridge & Freezers

Food grade stainless steel bench top may serve as additional workspace

Save floor space with seamless under bench installation

Bright LED lighting makes it easy to locate items inside

Suitable for storage of perishable drinks with 3M1 climate class

Natural refrigerant for improved energy efficiency

Additional shelf extenders and narrow wired shelf design to keep items securely in place

Digital controller for easy temperature control

2 adjustable shelves per door plus base for maximum storage

Durable stainless steel construction for commercial use

Castors to move and position the unit with ease

5 Years Bromic Extra Care Warranty - Labour and Parts

Double-glazed safety glass door prevents condensation

Fully compliant with Australian safety standards and regulations

UBC1360GD-NR

BROMIC REFRIGERATION

Underbench Display Fridge 282L - 2 Door - Glass

Bar Fridge & Freezers



SPECIFICATIONS

Model Number	UBC1360GD-NR
Part Number	3735213-NR
Volume	282L
Unit Weight	122kg
Packaged Weight	127kg
Adjustable Temp. Range	+1°C to +5°C
Max. Ambient Temp.	32°C
Climate Class	3M1
Energy Consumption	3.64kWh/24h
GEMS Star Rating	3 stars
Refrigeration Capacity	245W
Refrigerant	R600a
Rated Current	3.64A
Electrical Voltage	220-240V
Frequency	50Hz
Power Supply	Single Phase
Power Plug	1 x 10A
Plug Location	Rear, bottom right
Cord Length	2.5m
Colour	Stainless Steel
Internal Light	LED
No. of Doors	2
Door Type	Glass
Door Glass Type	Double glazed
Door Style	Hinged
Door Lock	No
Self-Closing Door	Yes
Door Swing Dimension	371mm
Total Depth of Door Open	1071mm
No. of Shelf Tiers inc base	3
Shelf Type	Adjustable
Shelves Dimensions	330(w) x 530(d) mm
Temp. Controller	Digital
Castors	Yes
Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts

DIMENSIONS

External (mm)

Width	1360
Depth	730
Height	850

Internal (mm)

Width	902
Depth	530
Height	589

Packaged (mm)

Width	1390
Depth	730
Height	910

UBC1795SD-NR

BROMIC REFRIGERATION

Under Bench Fridge
417L - 3 Doors - Stainless Steel

Bar Fridges & Freezers

UBC1795SD-NR

BROMIC REFRIGERATION

Under Bench Fridge
417L - 3 Doors - Stainless Steel

Bar Fridges & Freezers



SPECIFICATIONS

Model Number	UBC1795SD-NR
Part Number	3735206-NR
Volume	417L
Unit Weight	142kg
Packaged Weight	147kg
Adjustable Temp. Range	+1 to +5°C
Max. Ambient Temp.	38°C
Climate Class	4M1
Energy Consumption	3.341kWh/24h
GEMS Star Rating	4 stars
Refrigeration Capacity	245W
Refrigerant	R600a
Rated Current	2A
Electrical Voltage	220-240V
Frequency	50Hz
Power Supply	Single Phase
Power Plug	1 x 10A
Plug Location	Bottom Right
Cord Length	2.5m
Colour	Stainless Steel
Internal Light	No
No. of Doors	3
Door Type	Solid
Door Style	Hinged
Door Lock	No
Self-Closing Door	Yes
Door Swing Dimension	371mm
Total Depth of Door Open	1071mm
No. of Shelf Tiers inc base	3
Shelf Type	Adjustable
Shelves Dimensions	333(w) x 530(d) mm
Temp. Controller	Digital
Castors	Yes
Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts

DIMENSIONS

External (mm)

Width	1795
Depth	700
Height	850

Internal (mm)

Width	1337
Depth	530
Height	589

Packaged (mm)

Width	1825
Depth	730
Height	910

UBC1795GD-NR

BROMIC REFRIGERATION

Under Bench DIsplay Fridge 417L - 3 Doors - Glass

Bar Fridges & Freezers

Food grade stainless steel bench top may serve as additional workspace

Save floor space with seamless under bench installation

Bright LED lighting makes it easy to locate items inside

Suitable for storage of perishable drinks with 3M1 climate class

Natural refrigerant for improved energy efficiency

Additional shelf extenders and narrow wired shelf design to keep items securely in place

Digital controller for easy temperature control

2 adjustable shelves per door plus base for maximum storage

Durable stainless steel construction for commercial use

Castors to move and position the unit with ease

5 Years Bromic Extra Care Warranty - Labour and Parts

Double-glazed safety glass door prevents condensation

Fully compliant with Australian safety standards and regulations

UBC1795GD-NR

BROMIC REFRIGERATION

Under Bench DIsplay Fridge
417L - 3 Doors - Glass

Bar Fridges & Freezers



SPECIFICATIONS

Model Number	UBC1795GD-NR
Part Number	3735211-NR
Volume	138L
Unit Weight	417L
Packaged Weight	156kg
Adjustable Temp. Range	+1 to +5°C
Max. Ambient Temp.	32°C
Climate Class	3M1
Energy Consumption	4.75kWh/24h
GEMS Star Rating	2 stars
Refrigeration Capacity	245W
Refrigerant	R600a
Rated Current	4.75A
Electrical Voltage	220-240V
Frequency	50Hz
Power Supply	Single Phase
Power Plug	1 x 10A
Plug Location	Bottom Right
Colour	Stainless Steel
Internal Light	LED
No. of Doors	3
Door Type	Glass
Door Glass Type	Double glazed
Door Style	Hinged
Door Lock	No
Self-Closing Door	Yes
Door Swing Dimension	371mm
Total Depth of Door Open	1071mm
No. of Shelf Tiers inc base	3
Shelf Type	Adjustable
Shelves Dimensions	333(w) x 530(d) mm
Temp. Controller	Digital
Castors	Yes
Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts

DIMENSIONS

External (mm)

Width	1795
Depth	730
Height	850

Internal (mm)

Width	1337
Depth	530
Height	589

Packaged (mm)

Width	1825
Depth	730
Height	910

UBC2230SD-NR

BROMIC REFRIGERATION

Under Bench Fridge
553L - 4 Doors - Stainless Steel

Bar Fridges & Freezers

Save floor space with seamless under bench installation

Food grade stainless steel bench top may serve as additional workspace

Powerful fan-forced refrigeration cools cabinet evenly and quickly

Digital controller and display for precise temperature control

Natural refrigerant for improved energy efficiency

5 Years Bromic Extra Care Warranty - Labour and Parts

Fully compliant with Australian safety standards and regulations

Narrow wired shelf design and shelf extenders to keep items securely in place

Solid stainless steel exterior and 4 self-closing doors to minimise heat transfer and energy consumption

Castors to move and position the unit with ease

UBC2230SD-NR

BROMIC REFRIGERATION

Under Bench Fridge
553L - 4 Doors - Stainless Steel

Bar Fridges & Freezers



SPECIFICATIONS

Model Number	UBC2230SD-NR
Part Number	3735209-NR
Volume	553L
Unit Weight	173kg
Packaged Weight	178kg
Adjustable Temp. Range	+1°C to +5°C
Max. Ambient Temp.	38°C
Climate Class	4M1
Energy Consumption	3.768kWh/24h
GEMS Star Rating	4 stars
Refrigeration Capacity	345W
Refrigerant	R290
Rated Current	2.7A
Electrical Voltage	220-240V
Frequency	50Hz
Power Supply	Single Phase
Power Plug	1 x 10A
Plug Location	Bottom Right
Cord Length	2.5m
Colour	Stainless Steel
Internal Light	No
No. of Doors	4
Door Type	Solid
Door Style	Hinged
Door Lock	No
Self-Closing Door	Yes
Door Swing Dimension	371mm
Total Depth of Door Open	1071mm
No. of Shelf Tiers inc base	3
Shelf Type	Adjustable
Shelves Dimensions	333(w) x 530(d) mm
Temp. Controller	Digital
Castors	Yes
Warranty	5 Years Bromic Extra Care Warranty – Labourand Parts

DIMENSIONS

External (mm)

Width	2230
Depth	700
Height	850

Internal (mm)

Width	1772
Depth	530
Height	589

Packaged (mm)

Width	2260
Depth	740
Height	910

UBC2230GD-NR

BROMIC REFRIGERATION

Under Bench DIsplay Fridge 553L - 4 Doors - Glass

Bar Fridges & Freezers

Food grade stainless steel bench top may serve as additional workspace

Save floor space with seamless under bench installation

Bright LED lighting makes it easy to locate items inside

Suitable for storage of perishable drinks with 3M1 climate class

Natural refrigerant for improved energy efficiency

Additional shelf extenders and narrow wired shelf design to keep items securely in place

Digital controller for easy temperature control

2 adjustable shelves per door plus base for maximum storage

Durable stainless steel construction for commercial use

Castors to move and position the unit with ease

5 Years Bromic Extra Care Warranty - Labour and Parts

Double-glazed safety glass door prevents condensation

Fully compliant with Australian safety standards and regulations

UBC2230GD-NR

BROMIC REFRIGERATION

Under Bench DIsplay Fridge
553L - 4 Doors - Glass

Bar Fridges & Freezers



SPECIFICATIONS

Model Number	UBC2230GD-NR
Part Number	3735212-NR
Volume	553L
Unit Weight	180kg
Packaged Weight	185kg
Adjustable Temp. Range	+1°C to +5°C
Max. Ambient Temp.	32°C
Climate Class	3M1
Energy Consumption	6.08kWh/24h
GEMS Star Rating	2 stars
Refrigeration Capacity	345W
Refrigerant	R290
Rated Current	6.08A
Electrical Voltage	220-240V
Frequency	50Hz
Power Supply	Single Phase
Power Plug	1 x 10A
Plug Location	Rear, bottom Right
Cord Length	2.5m
Colour	Stainless Steel
Internal Light	LED
No. of Doors	4
Door Type	Glass
Door Glass Type	Double glazed
Door Style	Hinged
Door Lock	No
Self-Closing Door	Yes
Door Swing Dimension	371mm
Total Depth of Door Open	1071mm
No. of Shelf Tiers inc base	3
Shelf Type	Adjustable
Shelves Dimensions	333(w) x 530(d) mm
Temp. Controller	Digital
Castors	Yes
Warranty	5 Years Bromic Extra Care Warranty – Labour and Parts

DIMENSIONS

External (mm)

Width	2230
Depth	730
Height	850

Internal (mm)

Width	1772
Depth	530
Height	589

Packaged (mm)

Width	2260
Depth	740
Height	910