Thermaster Pizza Prep Bench - TSB735

Quick Overview

Single Door
8Ã—Â 1/6 poly pans
Stainless Steel interior & exterior*

- Fridge has one level of shelving plus floor
- Aspera compressors
- German Ã‹BM-Pabst fans
- Dixell digital temp. control & read-out
- **Ambient 32Â°C & 75% RH**
- Internal corners rounded for hygiene & easy cleaning
- **PE cutting board included**
- Working area 290 mm deep
- Bench height 910 mm
- Insulation is CFC & HCFC free
- Extremely efficient self-closing doors
- Auto defrost
- Self evaporating drainage
- Castors
- Capacity 250 ltr

Â * Gal metal back
Â ** Pan lid must be utilised to ensure correct operating temperature
Â Â Â Â Â Â Tops are holding units & product needs to be pre-chilled to less than 5Â°C before filling

Description

Single Door
8×1/6 poly pans
Stainless Steel interior & exterior*

- Gross Volume: 250.5L
- Max Ambient Temperature: 32°C
- Temperature Range: 2 to 8 ° C
- Fridge has one level of shelving plus floor
- Aspera compressors
- German ËBM-Pabst fans
- Dixell digital temp. control & read-out

- **Ambient 32°C & 75% RH**
- Internal corners rounded for hygiene & easy cleaning
- **PE cutting board included**
- Working area 290 mm deep
- Bench height 910 mm
- Insulation is CFC & HCFC free
- Extremely efficient self-closing doors
- Auto defrost
- Self evaporating drainage
- Castors

* Gal metal back
** Pan lid must be utilised to ensure correct operating temperature
Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	250.5L
Max Ambient Temperature	32°C
Temperature Range	+2 to +8 ° C
Net Weight (Kg)	95
Width (mm)	735
Depth (mm)	760
Height (mm)	1098
Packing Width (mm)	820
Packing Depth (mm)	795
Packing Height (mm)	1165
Power	240V; 280W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice